

Report:

COMMUNICABLE DISEASE STATISTICAL SUMMARY

1920-1982



**DIVISION OF HEALTH
Office Of Public Health Laboratories and Epidemiology**

No person in the State of Washington shall on the grounds of sex, race, color or national origin, be excluded from participation in, or be subjected to discrimination under any program or activity administered or supervised by the Washington State Department of Social and Health Services.

COMMUNICABLE DISEASE STATISTICAL SUMMARY

WASHINGTON STATE

1920 - 1983

Office of Public Health Laboratory

Epidemiology Section

Division of Health

Mail Stop B17-9

1409 Smith Tower

Seattle, WA 98104

(206)464-6289
(SCAN)576-6289

Prepared By:

Phyllis Nawas, Data Service Asst. IV
John Kobayashi, MD, MPH, State Epidemiologist

August 1983

**John Beare, M.D., M.P.H., Director
Division of Health**

**Jack Allard, Ph.D., Chief
Office of Public Health Laboratories & Epidemiology**

TABLE OF CONTENTS

INTRODUCTION.....	iv
ACKNOWLEDGEMENTS.....	v
AMEBIASIS.....	1
ANTHRAX.....	2
BOTULISM (adult, wound, infant).....	3
BRUCELLOSIS (Undulant Fever).....	4
CAMPYLOBACTER.....	5
CHICKENPOX.....	6
DIPHThERIA (Toxigenic).....	7
ENCEPHALITIS	
ARTHROPOD-BORNE HUMAN.....	8
ARTHROPOD-BORNE HORSES.....	9-10
POST-ENFECTIONOUS.....	11
VIRAL.....	12
FOOD POISONING.....	13
GIARDIA.....	14
GONORRHEA.....	15
HEPATITIS	
A (Infectious, epidemic, viral, jaundice).....	16
B (Serum).....	17
NON A/NON B.....	18
UNSPECIFIED.....	19
INFLUENZA AND UPPER RESPIRATORY.....	20
KAWASKI DISEASE.....	21
LEGIONNAIRES' DISEASE.....	22
LEPROSY (Hansen's Disease).....	23
LEPTOSPIROSIS (Weil's Disease).....	24
MALARIA.....	25
MEASLES (Rubeola, Hard Measles).....	26
MENINGITIS	
ASEPTIC (Viral).....	27
HEMOPHILUS INFLUENZAE (H. Infl.).....	28
MENINGOCOCCAL (Neisseria Meningitidis).....	29
MUMPS.....	30
PERTUSSIS (Whooping Cough).....	31
PLAGUE (Black Death).....	32
POLIOMYELITIS (Paralytic and non-paralytic).....	33
PSITTACOSIS (Ornithosis, Parrot Fever).....	34
RABIES.....	35
RELAPSING FEVER.....	36
ROCKY MOUNTAIN SPOTTED FEVER (RMSF).....	37
RUBELLA (German Measles).....	38
SALMONELLOSIS (Salmonella).....	39
SHIGELLOSIS (Bacillary dysentery, Shigella).....	40
SMALLPOX.....	41
SYPHILIS.....	42
TETANUS (Lockjaw).....	43
TICK PARALYSIS.....	44
TOXIC SHOCK SYNDROME (TSS).....	45
TRACOMA.....	46
TRICHINOSIS.....	47
TUBERCULOSIS.....	48
TULAREMIA (Rabbit Fever).....	49
TYPHOID FEVER.....	50
APPENDIX I.....	51
REFERENCE.....	52

INTRODUCTION

A review of state publications on infectious disease morbidity and mortality revealed that while yearly morbidity and mortality reports were available, compiled information was not easily accessible. The following report provides tables on morbidity and mortality trends for 39 communicable diseases from 1920 through 1982.

With the exception of tuberculosis and venereal diseases, the mortality data were from computerized records maintained by the Health Data Section. The morbidity data were from records maintained by the Epidemiology Section. Tuberculosis, gonorrhea, and syphilis data came from their respective disease control programs in Olympia. The yearly population totals (see Appendix I) were from publications of by the Office of Fiscal Management.

ACKNOWLEDGEMENTS

Special acknowledgement is given to the following persons or agencies for their help and cooperation in compiling this data: Health Data Section for supplying death statistics through their computerized death records; Pete Burinsky, Venereal Disease Unit for gonorrhoea and syphilis data; Melinda McMahan, TB Control Program, for TB data; and the staff of the Epidemiology Section.

ANNUAL REPORT OF COMMUNICABLE DISEASES AND DEATHS
STATE OF WASHINGTON 1920-1982

YEARS	AMEBIASIS				YEARS	AMEBIASIS			
	CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.		CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.
1920	0	0	0	0	1952	51	2.00	1	.04
1921	0	0	0	0	1953	15	.60	0	0
1922	0	0	0	0	1954	8	.30	1	.04
1923	0	0	0	0	1955	4	.20	1	.04
1924	0	0	0	0	1956	7	.30	0	0
1925	0	0	0	0	1957	8	.30	0	0
1926	0	0	0	0	1958	6	.20	1	.04
1927	0	0	0	0	1959	5	.20	1	.04
1928	0	0	0	0	1960	5	.20	0	0
1929	0	0	0	0	1961	3	.10	1	.04
1930	0	0	0	0	1962	1	.03	0	0
1931	0	0	0	0	1963	5	.20	1	.03
1932	0	0	0	0	1964	0	0	0	0
1933	3	.19	2	.12	1965	1	.03	0	0
1934	46	2.80	5	.30	1966	2	.06	0	0
1935	12	.73	3	.18	1967	0	0	0	0
1936	5	.30	2	.12	1968	1	.03	0	0
1937	5	.30	4	.24	1969	1	.02	0	0
1938	2	.11	0	0	1970	2	.06	0	0
1939	1	.06	0	0	1971	1	.03	0	0
1940	7	.40	3	.17	1972	4	.11	0	0
1941	8	.44	1	.05	1973	5	.20	0	0
1942	2	.11	0	0	1974	11	.31	0	0
1943	22	1.10	0	0	1975	13	.40	0	0
1944	5	.25	3	.15	1976	30	.80	1	.03
1945	7	.34	0	0	1977	51	1.40	0	0
1946	13	.61	1	.05	1978	28	.70	0	0
1947	101	4.60	0	0	1979	30	.80	1	.03
1948	23	1.00	0	0	1980	60	1.50	0	0
1949	50	2.20	0	0	1981	61	1.40	0	0
1950	130	5.50	2	.08	1982	59	1.38	0	0
1951	13	.53	4	.16	1983				

ANNUAL REPORT OF COMMUNICABLE DISEASES AND DEATHS
STATE OF WASHINGTON 1920-1982

YEARS	ANTHRAX				YEARS	ANTHRAX			
	CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.		CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.
1920	0	0	0	0	1952	0	0	0	0
1921	1	.07	1	.07	1953	0	0	0	0
1922	0	0	0	0	1954	1	.04	0	0
1923	0	0	0	0	1955	1	.04	0	0
1924	0	0	0	0	1956	0	0	0	0
1925	1	.07	0	0	1957	1	.04	0	0
1926	0	0	0	0	1958	0	0	0	0
1927	0	0	0	0	1959	0	0	0	0
1928	0	0	0	0	1960	0	0	0	0
1929	0	0	0	0	1961	0	0	0	0
1930	0	0	0	0	1962	0	0	0	0
1931	2	.13	2	.13	1963	0	0	0	0
1932	0	0	0	0	1964	0	0	0	0
1933	0	0	0	0	1965	0	0	0	0
1934	0	0	0	0	1966	0	0	0	0
1935	0	0	0	0	1967	0	0	0	0
1936	1	.06	1	.06	1968	0	0	0	0
1937	0	0	0	0	1969	0	0	0	0
1938	2	.12	0	0	1970	0	0	0	0
1939	0	0	0	0	1971	0	0	0	0
1940	0	0	0	0	1972	0	0	0	0
1941	0	0	0	0	1973	0	0	0	0
1942	0	0	0	0	1974	0	0	0	0
1943	0	0	0	0	1975	0	0	0	0
1944	0	0	0	0	1976	0	0	0	0
1945	0	0	0	0	1977	0	0	0	0
1946	0	0	0	0	1978	0	0	0	0
1947	1	.05	0	0	1979	0	0	0	0
1948	1	.05	0	0	1980	0	0	0	0
1949	0	0	0	0	1981	0	0	0	0
1950	0	0	0	0	1982	0	0	0	0
1951	0	0	0	0	1983				

ANNUAL REPORT OF COMMUNICABLE DISEASES AND DEATHS
STATE OF WASHINGTON 1920-1982

YEARS	BOTULISM*					YEARS	BOTULISM				
	CASES RPTD	OUT-BREAKS	CASE RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.		CASES RPTD	OUT-BREAKS	CASE RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.
1920	0	0	0	0	0	1952	2	2	.08	1	.04
1921	7	6	.50	7	.50	1953	1	1	.04	1	.04
1922	9	4	.64	7	.50	1954	2	1	.08	1	.04
1923	3	1	.21	3	.21	1955	0	0	0	0	0
1924	2	1	.14	2	.14	1956	0	0	0	0	0
1925	2	1	.14	2	.14	1957	5	1	.18	1	.04
1926	1	1	.07	1	.07	1958	1	1	.04	0	0
1927	0	0	0	0	0	1959	2	1	.07	1	.04
1928	2	1	0	0	0	1960	0	0	0	0	0
1929	0	0	0	0	0	1961	8	2	.28	2	.07
1930	0	0	0	0	0	1962	0	0	0	0	0
1931	2	1	.13	2	.13	1963	0	0	0	0	0
1932	5	4	.31	5	.31	1964	4	1	.13	1	.03
1933	5	3	.30	5	.30	1965	5	1	.16	0	0
1934	1	1	.06	0	0	1966	0	0	0	0	0
1935	6	3	.36	6	.36	1967	0	0	0	0	0
1936	0	0	0	0	0	1968	0	0	0	0	0
1937	0	0	0	0	0	1969	1	1	.03	1	.03
1938	8	3	.47	5	.29	1970	0	0	0	0	0
1939	16	1	.93	5	.29	1971	2	1	.06	2	.06
1940	4	2	.22	3	.17	1972	0	0	0	0	0
1941	1	1	.06	0	0	1973	3	2	.09	0	0
1942	1	1	.05	0	0	1974	2	1	.06	0	0
1943	2	2	.10	2	.10	1975	4	3	.11	0	0
1944	1	4	.50	7	.35	1976	5	4	.14	1	.03
1945	0	0	0	0	0	1977	2	2	.06	0	0
1946	1	1	.05	1	.05	1978	2	2	.05	0	0
1947	10	5	.45	10	.45	1979	5	5	.12	0	0
1948	0	0	0	0	0	1980	6	5	.14	0	0
1949	0	0	0	0	0	1981	0	0	0	0	0
1950	0	0	0	0	0	1982	5	5	.12	0	0
1951	2	1	.08	2	.08	1983					

* Includes adult and wound. 1977 and on includes adult, wound and infant.

ANNUAL REPORT OF COMMUNICABLE DISEASES AND DEATHS
STATE OF WASHINGTON 1920-1982

YEARS	BRUCELLOSIS*				YEARS	BRUCELLOSIS			
	CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.		CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.
1920					1952	58	2.3	0	0
1921					1953	5	.20	0	0
1922					1954	11	.43	0	0
1923					1955	6	.23	0	0
1924					1956	8	.30	0	0
1925					1957	8	.30	0	0
1926					1958	3	.10	0	0
1927					1959	1	.04	0	0
1928					1960	0	0	0	0
1929	22	1.4	1	.06	1961	3	.10	1	.04
1930	26	1.7	2	.13	1962	0	0	0	0
1931	33	2.0	1	.06	1963	0	0	0	0
1932	18	1.1	2	.12	1964	1	.03	1	.03
1933	25	1.5	1	.06	1965	1	.03	0	0
1934	25	1.5	0	0	1966	2	.06	0	0
1935	35	2.1	3	.18	1967	0	0	0	0
1936	33	2.0	?	?	1968	1	0	0	0
1937	26	1.5	2	.11	1969	1	.03	0	0
1938	2	.1	1	.06	1970	1	.03	0	0
1939	25	1.5	1	.06	1971	1	.03	0	0
1940	28	1.6	1	.06	1972	1	.03	0	0
1941	42	2.3	2	.11	1973	0	0	0	0
1942	72	3.8	1	.06	1974	1	.03	0	0
1943	41	2.1	0	0	1975	3	.08	0	0
1944	56	2.8	1	.05	1976	3	.08	0	0
1945	54	2.6	6	.29	1977	0	0	0	0
1946	54	2.2	2	.09	1978	0	0	0	0
1947	66	3.0	0	0	1979	6	.15	0	0
1948	44	1.9	0	0	1980	2	.05	0	0
1949	26	1.1	1	.04	1981	0	0	0	0
1950	37	1.6	0	0	1982	1	.02	0	0
1951	62	2.5	0	0	1983				

* 1929 first year totals kept.

ANNUAL REPORT OF COMMUNICABLE DISEASES AND DEATHS
STATE OF WASHINGTON 1920-1982

YEARS	CAMPYLOBACTER*				YEARS	CAMPLYOBACTER			
	CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.		CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.
1920					1952				
1921					1953				
1922					1954				
1923					1955				
1924					1956				
1925					1957				
1926					1958				
1927					1959				
1928					1960				
1929					1961				
1930					1962				
1931					1963				
1932					1964				
1933					1965				
1934					1966				
1935					1967				
1936					1968				
1937					1969				
1938					1970				
1939					1971				
1940					1972				
1941					1973				
1942					1974				
1943					1975				
1944					1976				
1945					1977				
1946					1978				
1947					1979				
1948					1980	8	.19	0	
1949					1981	106	2.50	0	
1950					1982**	299	7.00	0	
1951					1983				

*1980 first year records kept.

**Includes King County Study

ANNUAL REPORT OF COMMUNICABLE DISEASES AND DEATHS
STATE OF WASHINGTON 1920-1982

YEARS	CHICKENPOX				YEARS	CHICKENPOX			
	CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.		CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.
1920	2,908	213	0	0	1952	7,855	315	2	.08
1921	3,730	269	2	.14	1953	9,439	373	1	.04
1922	2,752	196	2	.14	1954	9,214	359	1	.04
1923	2,952	206	3	.21	1955	8,713	337	1	.04
1924	3,594	248	2	.14	1956	6,808	256	1	.04
1925	4,152	283	1	.07	1957	9,107	336	2	.08
1926	4,059	273	0	0	1958	10,511	380	4	.15
1927	3,871	257	3	.20	1959	12,074	428	4	.15
1928	4,712	308	3	.20	1960	9,662	339	0	0
1929	4,888	316	4	.26	1961	4,984	172	1	.04
1930	3,907	249	7	.45	1962	11,634	395	2	.08
1931	4,626	292	2	.13	1963	12,607	424	1	.04
1932	3,490	218	0	0	1964	14,979	498	6	.20
1933	5,691	351	1	.06	1965	10,639	347	1	.04
1934	3,836	234	2	.12	1966	9,521	305	3	.06
1935	5,016	303	2	.12	1967	9,803	304	2	.06
1936	4,872	292	2	.12	1968	7,257	218	1	.03
1937	6,309	374	1	.06	1969	5,361	159	1	.03
1938	6,899	404	0	0	1970	8,111	238	2	.05
1939	6,879	399	1	.06	1971	7,848	228	2	.05
1940	5,540	316	2	.12	1972	9,613	280	1	.03
1941	7,158	394	0	0	1973	11,813	343	2	.05
1942	7,843	417	0	0	1974	8,416	240	2	.05
1943	7,759	399	0	0	1975	6,381	179	3	.08
1944	8,112	404	0	0	1976	6,948	191	2	.06
1945	8,357	403	0	0	1977	12,594	339	2	.05
1946	4,647	217	0	0	1978	7,689	200	1	.03
1947	8,776	399	0	0	1979	11,074	279	0	0
1948	8,620	380	0	0	1980	6,982	169	0	0
1949	9,304	400	0	0	1981	8,740	206	0	0
1950	2,257	95	0	0	1982	6,086	143	0	0
1951	7,901	323	0	0	1983				

ANNUAL REPORT OF COMMUNICABLE DISEASES AND DEATHS
STATE OF WASHINGTON 1920-1982

YEARS	DIPHTHERIA *				YEARS	DIPHTHERIA			
	CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.		CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.
1920	1,466	107.1	122	8.9	1952	30	1.20	5	.2
1921	1,474	106.4	119	8.6	1953	38	1.50	6	.2
1922	1,271	90.3	102	7.3	1954	20	.77	3	.1
1923	1,275	89.3	96	6.7	1955	23	.88	6	.2
1924	1,776	122.7	53	10.6	1956	12	.45	3	.1
1925	1,521	103.6	96	6.5	1957	22	.81	1	.04
1926	1,434	96.3	91	4.9	1958	3	.10	0	0
1927	1,057	70.1	51	3.4	1959	0	0	0	0
1928	677	44.3	51	3.3	1960	0	0	0	0
1929	635	41.0	41	2.6	1961	8	.27	1	.04
1930	641	40.8	42	2.7	1962	0	0	0	0
1931	500	31.5	34	2.1	1963	2	.06	0	0
1932	290	18.0	18	1.1	1964	11	.36	0	0
1933	296	18.2	25	1.6	1965	10	.32	0	0
1934	145	8.8	8	1.5	1966	11	.35	0	0
1935	141	8.5	12	.7	1967	4	.12	0	0
1936	84	5.0	6	.4	1968	1	.03	1	.03
1937	160	9.5	15	.9	1969	9	.26	3	.09
1938	116	6.8	10	.6	1970	10	.29	1	.03
1939	282	16.4	12	.7	1971	18	.52	0	0
1940	103	5.8	11	.6	1972	32	.93	3	.9
1941	80	4.4	9	.5	1973	104	3.00	2	.6
1942	133	7.0	3	.2	1974	190	5.50	1	.03
1943	358	18.4	7	?	1975	246	7.00	0	0
1944	320	15.9	10	.5	1976	101	2.80	3	.08
1945	278	13.4	27	1.9	1977	64	1.70	0	0
1946	326	15.2	21	1.0	1978	64	1.60	0	0
1947	187	8.5	12	.5	1979*	0	0	0	0
1948	86	3.8	9	4.0	1980	0	0	0	0
1949	48	2.0	1	.4	1981	1	.02	0	0
1950	20	.8	2	.08	1982	0	0	0	0
1951	31	1.3	4	.2	1983				

*1979 case definition changed

ANNUAL REPORT OF COMMUNICABLE DISEASES AND DEATHS
STATE OF WASHINGTON 1920-1982

YEARS	ENCEPHALITIS, ARTHROPOD-BORNE (HUMAN)*				YEARS	ENCEPHALITIS, ARTHROPOD-BORNE (HUMAN)			
	CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.		CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.
1920					1952	0	0	0	0
1921					1953	0	0	0	0
1922					1954	0	0	0	0
1923					1955	0	0	0	0
1924					1956	1WEE/ISLE	.15	0	0
1925					1957	0	0	0	0
1926					1958	2WEE	.07	0	0
1927					1959	0	0	0	0
1928					1960	0	0	0	0
1929					1961	0	0	0	0
1930					1962	0	0	0	0
1931					1963	1WEE	.03	0	0
1932					1964	0	0	0	0
1933					1965	0	0	0	0
1934					1966	0	0	0	0
1935					1967	3WEE	.09	0	0
1936					1968	3WEE	.09	0	0
1937					1969	1SLE	.03	0	0
1938					1970	2WEE	.06	0	0
1939*	33	1.9	8	.5	1971	1WEE/1SLE	.06	0	0
1940	91	5.2	19	1.10	1972	3WEE/1SLE	.12	0	0
1941	4	.2	1	.06	1973	1WEE	.03	0	0
1942	33	1.8	4	.21	1974	3WEE	.09	0	0
1943	1	.05	0	0	1975	0	0	0	0
1944	1	.05	1	.05	1976	0	0	0	0
1945	0	0	0	0	1977	0	0	0	0
1946	15	.70	4	.19	1978	0	0	0	0
1947	0	0	0	0	1979	1WEE	.03	0	0
1948	0	0	0	0	1980	0	0	0	0
1949	1WEE	.04	0	0	1981	0	0	0	0
1950	0	0	0	0	1982	1WEE	.02	0	0
1951	1WEE	.04	0	0	1983				

*No complete records kept before 1939 Totals include: arbo, equine, arthropod
WEE: Western Equine SLE: St. Lewis Equine

ANTHROPOD-BORNE ENCEPHALITIS
STATE OF WASHINGTON
HORSE CASES 1953-82

YEAR	HORSE CASES	COUNTIES
1953	8 suspect	Grant
1954	1 suspect	Kittitas
1955	6 suspect	Adams, Benton, Franklin, Grant
1956	20 confirmed WEE 69 suspect	Grant, Lincoln Adams, Benton, Columbia, Douglas, Grant, Lincoln, Okanogan, Pend Oreille, Spokane, Whitman
1957	9 confirmed WEE 33 suspect	Adams, Grant, Lincoln, Okanogan, Spokane, Stevens, Yakima, Walla Walla Benton, Ferry, Grant, Okanogan, Spokane, Stevens, Yakima, Walla Walla, Whitman
1958	11 confirmed WEE 27 suspect	Adams, Benton, Chelan, Douglas, Grant, Lincoln, Okanogan, Whitman Chelan, Douglas, Grant, Kittitas, Okanogan, Spokane, Walla Walla, Whatcom, Whitman, Yakima
1959	7 suspect	Grant, Lincoln, Okanogan, Skagit, Stevens, Walla Walla
1960	4 confirmed WEE 16 suspect	Benton, Franklin, Yakima Grant, Lincoln, Okanogan, Skagit, Stevens, Walla Walla
1961	4 confirmed WEE 4 suspect	Adams, Grant, Kittitas, Okanogan Klickitat, Ferry, Grant, Okanogan
1962	2 confirmed WEE	Franklin, Walla Walla
1963	2 confirmed WEE 3 suspect WEE 1 suspect Unknown 2 suspect SLE	Adams, Yakima Yakima Yakima Yakima
1964	0	
1965	1 confirmed WEE	Walla Walla

ARTHROPOD-BORNE ENCEPHALITIS
Page 2

YEAR	HORSE CASES	COUNTIES
1966	1 confirmed WEE	Spokane
1967	14 confirmed WEE	Adams, Benton, Grant, Kittitas, Spokane
1968	7 confirmed WEE	Benton, Franklin, Klickitat
1969	23 confirmed WEE	Adams(6), Benton(2), Kittitas(3), Okanogan(3), Spokane(2), Walla Walla(2), Yakima(5).
	92 suspect	Adams, Benton, Chelan, Douglas, Ferry, Franklin, Grant, Kittitas, Lincoln, Okanogan, Spokane, Stevens, Walla Walla, Whitman, Yakima
1970	3 confirmed WEE	Yakima, Walla Walla
1971	4 confirmed WEE	Douglas, Grant, Okanogan
1972	4 confirmed WEE	Clark, Yakima
1973	1 confirmed WEE	Grant
1974	4 confirmed WEE	Grant, Yakima
1975	1 confirmed WEE	Grant
1976	1 confirmed WEE	Benton
1977	0	
1978	0	
1979	2 confirmed WEE	Adams, Grant
1980	1 confirmed WEE	Yakima
1981	0	
1982	0	

ANNUAL REPORT OF COMMUNICABLE DISEASES AND DEATHS
STATE OF WASHINGTON 1920-1982

YEARS	ENCEPHALITIS, POST-INFECTIOUS*				YEARS	ENCEPHALITIS, POST-INFECTIOUS			
	CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.		CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.
1920					1952	0	0	0	0
1921					1953	14	.6	10	.40
1922					1954	11	.4	3	.11
1923					1955	9	.4	4	.16
1924					1956	7	.03	0	0
1925					1957	8	.03	0	0
1926					1958	15	.5	1	.04
1927					1959	12	.4	0	0
1928					1960	25	.9	0	0
1929					1961	30	1.0	0	0
1930					1962	31	1.1	4	.13
1931					1963	29	1.0	0	0
1932					1964	45	2.0	8	.27
1933					1965	18	.6	2	.07
1934					1966	31	1.0	0	0
1935					1967	23	.7	0	0
1936					1968	4	.1	0	0
1937					1969	4	.1	1	0
1938					1970	6	.2	0	0
1939					1971	3	.1	0	0
1940					1972	3	.1	0	0
1941					1973	4	.1	0	0
1942					1974	11	.3	0	0
1943					1975	10	.3	0	0
1944					1976	4	.1	0	0
1945					1977	2	.1	0	0
1946					1978	1	.03	0	0
1947					1979	5	.1	0	0
1948					1980	6	.1	0	0
1949					1981	1	.02	0	0
1950	1	.04	1	.04	1982	1	.02	0	0
1951	0	0	0	0	1983				

Enclides: A 2° illness occurring after rubella, influenza, mumps, measles, herpes (varicilla-zoster or Epstein-Barr or vacinia)
*1950 first year records kept.

ANNUAL REPORT OF COMMUNICABLE DISEASES AND DEATHS
STATE OF WASHINGTON 1920-1982

YEARS	(Primary, Lethargic, Other,)* ENCEPHALITIS(Viral, Specified-Unspecified)				YEARS	(Primary, Lethargic, Other) ENCEPHALITIS(Viral, Specified-Unspecified)			
	CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.		CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.
1920	-	-	-	-	1952	10	.40	3	.12
1921	-	-	-	-	1953	10	.40	3	.12
1922	1	.07	0	0	1954	17	.66	4	.15
1923	114	8.00	95	6.66	1955	12	.46	0	0
1924	36	2.50	35	2.40	1956	22	.83	0	0
1925	14	.95	57	3.88	1957	6	.22	0	0
1926	25	1.68	41	2.76	1958	5	.18	2	.07
1927	57	3.78	60	3.98	1959	11	.39	4	.14
1928	36	2.36	37	2.42	1960	9	.31	4	.14
1929	41	2.65	34	2.20	1961	21	.72	10	.34
1930	31	1.98	31	1.98	1962	13	.44	6	.20
1931	30	1.89	31	1.96	1963	13	.43	5	.17
1932	30	1.87	25	1.56	1964	28	.93	3	.10
1933	24	1.48	17	1.05	1965	24	.78	4	.13
1934	25	1.53	28	1.71	1966	24	.77	2	.06
1935	27	1.63	26	1.57	1967	26	.80	4	.12
1936	42	2.51	40	2.39	1968	15	.45	0	0
1937	27	1.60	34	2.01	1969	11	.33	4	.12
1938	22	1.29	24	1.41	1970	13	.38	2	.06
1939	54	3.13	23	1.34	1971	13	.38	4	.12
1940	119	6.79	37	2.11	1972	14	.41	7	.20
1941	43	2.37	20	1.10	1973	9	.26	5	.15
1942	43	2.29	0	0	1974	33	.94	7	.20
1943	28	1.44	2	.10	1975	30	.84	3	.08
1944	31	1.54	31	1.54	1976	36	.99	6	.17
1945	39	1.88	?	0	1977	27	.72	4	.11
1946	33	1.54	17	.79	1978	28	.73	3	.08
1947	21	.95	17	.77	1979	23	.57	5	.15
1948	19	1.00	?	0	1980	25	.64	4	.10
1949	16	.69	?	0	1981	11	.26	1	.03
1950	23	.97	7	.29	1982	16	.37	0	0
1951	22	.90	8	.33	1983				

Includes: Viral-Specified (viral agent diagnosed). Viral Unspecified (bacterial ruled out, viral agent unknown). Other-Unspecified (could be mycobacterium, cryptococcus or viral) Lethargic (form occurring epidemically, often associated with influenza and is due to filterable virus. *1923-49 all categories, 1950-82 excludes anthropol & post-infectious.

ANNUAL REPORT OF COMMUNICABLE DISEASES AND DEATHS
STATE OF WASHINGTON 1920-1982

YEARS	FOOD POISONING*				YEARS	FOOD POISONING*			
	CASES REPORTED	CASE RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.		CASES REPORTED	CASE RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.
1920					1952	566/11	22.3	0	0
1921					1953	221/12	83.9	0	0
1922					1954	128/15	5.0	3	.1
1923					1955	78/18	3.0	0	0
1924					1956	184/36	6.9	0	0
1925					1957	28/7	1.0	0	0
1926					1958	45/5	1.6	1	0
1927					1959	453/35	16.1	0	0
1928					1960	573/23	20.1	0	0
1929					1961	37/5	1.3	0	0
1930					1962	12/1	0.4	1	.03
1931					1963	320/1	10.8	0	0
1932					1964	45/5	1.5	0	0
1933					1965	117/18	3.8	0	0
1934					1966	65/16	2.1	0	0
1935					1967	195/23	6.0	0	0
1936					1968	427/16	12.8	0	0
1937					1969	1,135/69	26.0	0	0
1938					1970	1,506/71	18.9	0	0
1939	21/?**	1.2	0	0	1971	289/63	19.1	0	0
1940	234/6	13.4	0	0	1972	764/38	10.3	0	0
1941	146/4	8.0	0	0	1973	445/58	29.1	0	0
1942	48/4	2.6	0	0	1974	383/49	9.0	0	0
1943	133/14	6.8	0	0	1975	639/50	10.7	0	0
1944	9/2	4.5	2	.1	1976	908/65	235.0	0	0
1945	187/23	9.0	1	.05	1977	480/50	13.2	0	0
1946	82/10	3.8	1	.05	1978	829/54	23.3	0	0
1947	475/14	21.8	0	0	1979	471/73	11.8	0	0
1948	90/18	4.1	0	0	1980	354/56	8.6	0	0
1949	202/13	6.4	2	.1	1981	221/35	5.9	1mushroom	0
1950	112/11	4.4	0	0	1982	589/46	16.5	0	0
1951	341/12	30.9	2	.1	1983				

*Excluding botulism. **Second figure denotes number of outbreaks. 1939 first year totals kept.

ANNUAL REPORT OF COMMUNICABLE DISEASES AND DEATHS
STATE OF WASHINGTON 1920-1982

YEARS	GIARDIA*				YEARS	GIARDIA			
	CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.		CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.
1920					1952				
1921					1953				
1922					1954				
1923					1955				
1924					1956				
1925					1957				
1926					1958				
1927					1959				
1928					1960				
1929					1961				
1930					1962				
1931					1963				
1932					1964				
1933					1965				
1934					1966				
1935					1967				
1936					1968				
1937					1969				
1938					1970				
1939					1971				
1940					1972				
1941					1973				
1942					1974	75	2.1	0	
1943					1975	90	2.5	0	
1944					1976	133	3.7	0	
1945					1977	168	4.5	0	
1946					1978	245	6.4	0	
1947					1979	720	18.1	0	
1948					1980	840	20.3	0	
1949					1981	547	12.9	0	
1950					1982	956	22.4	0	
1951					1983				

*1974 first year records kept.

ANNUAL REPORT OF COMMUNICABLE DISEASES AND DEATHS
STATE OF WASHINGTON 1920-1982

YEARS	GONORRHEA*				YEARS	GONORRHEA			
	CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.		CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.
1920	3,147	230.2	0	0	1952	1,624	65.1	1	.04
1921	2,142	154.6	4	.29	1953	1,598	63.2	0	0
1922	1,977	140.5	9	.64	1954	1,313	51.2	1	.04
1923	1,517	106.3	0	0	1955	1,143	44.2	0	0
1924	2,165	149.6	0	0	1956	1,237	46.6	0	0
1925	1,415	96.4	0	0	1957	1,209	44.5	0	0
1926	1,732	116.4	0	0	1958	1,635	59.8	0	0
1927	2,267	150.4	0	0	1959	1,466	52.0	1	.04
1928	2,247	147.0	0	0	1960	1,732	60.7	0	0
1929	2,665	172.1	0	0	1961	2,180	75.2	0	0
1930	2,288	145.9	0	0	1962	2,492	84.5	0	0
1931	2,305	145.4	0	0	1963	2,928	98.5	1	.03
1932	1,815	113.3	18	1.12	1964	3,428	113.9	0	0
1933	1,782	110.0	13	.80	1965	3,385	110.4	0	0
1934	1,888	115.3	11	.67	1966	3,956	126.5	0	0
1935	1,907	115.3	0	0	1967	5,267	163.1	0	0
1936	2,873	171.9	21	1.30	1968	6,421	192.8	0	0
1937	4,585	271.4	12	.71	1969	8,107	240.9	0	0
1938	3,496	204.9	6	.34	1970	8,474	248.4	0	0
1939	3,220	186.8	7	.40	1971	9,293	270.4	0	0
1940	3,486	200.8	4	.23	1972	11,034	321.6	0	0
1941	4,192	230.8	3	.17	1973	11,892	345.2	1	.03
1942	3,222	118.2	1	.05	1974	12,420	354.0	0	0
1943	8,060	414.4	0	0	1975	13,651	382.6	0	0
1944	4,448	221.4	1	.05	1976	12,632	347.6	0	0
1945	5,336	257.4	0	0	1977	12,092	325.4	0	0
1946	4,545	207.4	1	.05	1978	13,487	352.0	0	0
1947	3,437	156.1	0	0	1979	14,607	367.0	1	.03
1948	2,938	129.7	0	0	1980	14,215	344.2	0	0
1949	2,146	92.1	0	0	1981	13,204	310.7	0	0
1950	1,608	67.6	0	0	1982	11,381	266.9	0	0
1951	1,803	73.7	0	0	1983				

*DSHS, HSD, VD Program, Gonorrhea all categories, 1920-42 DSHS, HSD, Epi Section statistics
**1943-1982 Deaths due to GC 1940 Thru 1979, DHHS, Nat. Ctr. for Health Stats., DSHS, HSD, VD Program

ANNUAL REPORT OF COMMUNICABLE DISEASES AND DEATHS
STATE OF WASHINGTON 1920-1982

YEARS	HEPATITIS A*				YEARS	HEPATITIS			
	CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.		CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.
1920					1952	227	9.1	13	.52
1921					1953	821	32.4	14	.55
1922					1954	1000	38.9	10	.39
1923					1955	894	34.5	15	.58
1924					1956	650	24.5	15	.56
1925					1957	388	14.3	21	.77
1926					1958	513	18.5	13	.47
1927					1959	599	21.2	17	.60
1928					1960	1096	38.4	19	.66
1929					1961	1234	42.6	8	.28
1930					1962	1502	40.9	9	.30
1931					1963	1254	42.2	9	.30
1932					1964	743	27.7	10	.33
1933					1965	586	19.1	8	.19
1934					1966	715	22.9	8	.26
1935					1967	983	30.4	11	.34
1936					1968	1371	41.2	7	.21
1937					1969	1407	41.8	6	.18
1938					1970	1578	46.2	14	.41
1939					1971	1543	44.9	12	.34
1940					1972	1471	42.9	10	.29
1941					1973	1253	36.4	9	.26
1942					1974	733	20.9	7	.20
1943					1975	784	21.9	8	.22
1944	48	2.4	0	0	1976	477	13.1	11	.30
1945	114	5.5	1	.05	1977	626	16.8	9	.24
1946	56	2.6	4	.19	1978	932	24.3	9	.24
1947	26	1.2	5	.22	1979	977	25.0	3	.08
1948	12	.5	8	.35	1980	554	13.4	2	.05
1949	17	.7	14	.60	1981	791	18.6	0	0
1950	161	6.8	9	.38	1982	494	11.6	?	?
1951	96	4.0	7	.29	1983				

*1944-64 includes all types of hepatitis. Data not compiled before 1944. 1965 hepatitis B separated out, 1974 hepatitis unspecified separated out, 1981 hepatitis non A/nonB separated out.

ANNUAL REPORT OF COMMUNICABLE DISEASES AND DEATHS
STATE OF WASHINGTON 1920-1982

YEARS	HEPATITIS B*				YEARS	HEPATITIS B			
	CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.		CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.
1920					1952				
1921					1953				
1922					1954				
1923					1955				
1924					1956				
1925					1957				
1926					1958				
1927					1959				
1928					1960				
1929					1961				
1930					1962				
1931					1963				
1932					1964				
1933					1965	11	.36	0	0
1934					1966	0	0	0	0
1935					1967	15	.47	0	0
1936					1968	14	.42	0	0
1937					1969	9	.27	0	0
1938					1970	24	.70	0	0
1939					1971	25	.73	0	0
1940					1972	60	1.75	0	0
1941					1973	161	4.67	1	.03
1942					1974	274	7.80	0	0
1943					1975	337	9.45	0	0
1944					1976	241	6.63	0	0
1945					1977	217	5.84	0	0
1946					1978	223	5.81	0	0
1947					1979	254	6.38	3	.08
1948					1980	251	6.08	6	.15
1949					1981	345	8.12	11	.26
1950					1982	358	8.40	?	?
1951					1983				

*1965 first year separate totals kept for hepatitis B.

ANNUAL REPORT OF COMMUNICABLE DISEASES AND DEATHS
STATE OF WASHINGTON 1920-1982

YEARS	HEPATITIS NON A/NON B*				YEARS	HEPATITIS NON A/NON B			
	CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.		CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.
1920					1952				
1921					1953				
1922					1954				
1923					1955				
1924					1956				
1925					1957				
1926					1958				
1927					1959				
1928					1960				
1929					1961				
1930					1962				
1931					1963				
1932					1964				
1933					1965				
1934					1966				
1935					1967				
1936					1968				
1937					1969				
1938					1970				
1939					1971				
1940					1972				
1941					1973				
1942					1974				
1943					1975				
1944					1976				
1945					1977				
1946					1978				
1947					1979				
1948					1980				
1949					1981	54	1.3	8	.24
1950					1982	94	2.2	?	?
1951					1983				

*1981 first year records kept.

ANNUAL REPORT OF COMMUNICABLE DISEASES AND DEATHS
STATE OF WASHINGTON 1920-1982

YEARS	HEPATITIS UNSPECIFIED*				YEARS	HEPATITIS UNSPECIFIED			
	CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.		CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.
1920					1952				
1921					1953				
1922					1954				
1923					1955				
1924					1956				
1925					1957				
1926					1958				
1927					1959				
1928					1960				
1929					1961				
1930					1962				
1931					1963				
1932					1964				
1933					1965				
1934					1966				
1935					1967				
1936					1968				
1937					1969				
1938					1970				
1939					1971				
1940					1972				
1941					1973				
1942					1974	605	17.2	0	0
1943					1975	464	13.0	0	0
1944					1976	247	6.8	0	0
1945					1977	270	7.3	0	0
1946					1978	277	7.2	0	0
1947					1979	224	5.6	3	.10
1948					1980	168	4.1	8	.20
1949					1981	114	2.7	5	.10
1950					1982	95	2.2	?	?
1951					1983				

*Separate records for hepatitis unspecified begun in August of 1973

ANNUAL REPORT OF COMMUNICABLE DISEASES AND DEATHS
STATE OF WASHINGTON 1920-1982

YEARS	INFLUENZA & UPPER RESPIRATORY*				YEARS	INFLUENZA & UPPER RESPIRATORY*			
	CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.		CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.
1920	23,108	1690.4	1,121	82.1	1952	11,811	483.3	37	1.5
1921	87	6.3	189	13.6	1953	1,220	48.9	61	2.4
1922	4,960	352.5	549	39.0	1954	14,608	577.8	25	1.0
1923	5	.4	356	24.9	1955	31,025	1,209.0	42	1.6
1924	?		204	14.9	1956	24,343	941.3	16	.6
1925	1	.07	342	23.3	1957	26,433	996.8	109	4.0
1926	312	21.0	402	27.0	1958	215,186	7,932.5	33	1.2
1927	509	33.8	456	30.2	1959	52,359	1,891.7	78	2.8
1928	7,030	460.0	585	38.3	1960	151,404	5,370.8	120	4.2
1929	1,532	98.9	584	37.7	1961	150,432	5,272.3	35	1.2
1930	402	25.6	263	16.8	1962	155,033	5,351.5	70	2.4
1931	1,061	67.0	415	26.2	1963	165,805	5,624.3	58	1.9
1932	2,462	153.6	417	26.0	1964	11,634	391.5	112	3.7
1933	809	50.0	326	20.1	1965	137,209	4,561.5	26	.9
1934	708	43.3	215	13.4	1966	112,138	3,658.7	153	4.9
1935	980	59.3	255	15.4	1967	172,730	5,527.4	35	1.1
1936	643	38.5	399	23.9	1968	139,955	4,334.3	177	5.3
1937	1,873	110.9	404	23.9	1969	155,456	4,669.8	200	5.9
1938	196	11.5	172	10.1	1970	136,950	4,069.8	85	2.5
1939	180	10.4	172	10.0	1971	167,081	4,895.1	68	2.0
1940	9,539	544.3	151	8.6	1972	138,571	4,032.6	107	3.1
1941	1,329	73.2	308	17.0	1973	150,755	4,394.8	259	7.5
1942	351	18.7	147	7.8	1974	178,302	5,176.7	50	1.4
1943	5,257	270.3	?	?	1975	143,379	4,086.4	156	4.3
1944	2,614	130.0	?	?	1976	144,528	4,050.8	917	25.3
1945	11,629	560.8	?	?	1977	164,391	4,522.6	763	21.0
1946	278	130.0	111	5.2	1978	140,546	3,782.8	935	24.4
1947	1,808	82.1	?	?	1979	170,511	4,444.8	?	?
1948	3,269	144.2	?	?	1980	161,327	4,054.3	?	?
1949	1,264	54.2	?	?	1981	341,885	8,277.8	?	?
1950	637	26.8	47	2	1982	122,023	2,871.0	?	?
1951	11,811	483.3	137	5.6	1983				

*Totals not kept after 1982.

ANNUAL REPORT OF COMMUNICABLE DISEASES AND DEATHS
STATE OF WASHINGTON 1920-1982

YEARS	KAWASKI DISEASE*				YEARS	KAWASKI DISEASE			
	CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.		CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.
1920					1952				
1921					1953				
1922					1954				
1923					1955				
1924					1956				
1925					1957				
1926					1958				
1927					1959				
1928					1960				
1929					1961				
1930					1962				
1931					1963				
1932					1964				
1933					1965				
1934					1966				
1935					1967				
1936					1968				
1937					1969				
1938					1970				
1939					1971				
1940					1972				
1941					1973				
1942					1974				
1943					1975				
1944					1976				
1945					1977				
1946					1978				
1947					1979	2	.05	0	0
1948					1980	2	.05	0	0
1949					1981	2	.05	0	0
1950					1982	0	.19	0	0
1951					1983				

*1979 first year records kept.

ANNUAL REPORT OF COMMUNICABLE DISEASES AND DEATHS
STATE OF WASHINGTON 1920-1982

YEARS	LEGIONNAIRES' DISEASE*				YEARS	LEGIONNAIRES' DISEASE			
	CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.		CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.
1920					1952				
1921					1953				
1922					1954				
1923					1955				
1924					1956				
1925					1957				
1926					1958				
1927					1959				
1928					1960				
1929					1961				
1930					1962				
1931					1963				
1932					1964				
1933					1965				
1934					1966				
1935					1967				
1936					1968				
1937					1969				
1938					1970				
1939					1971				
1940					1972				
1941					1973				
1942					1974				
1943					1975				
1944					1976				
1945					1977	5	.13	1	.03
1946					1978	9	.23	1	.03
1947					1979	1	.03	0	0
1948					1980	1	.03	0	0
1949					1981	13	.31	2	.05
1950					1982	14	.33	3	.07
1951					1983				

*1977 first year records kept.

ANNUAL REPORT OF COMMUNICABLE DISEASES AND DEATHS
STATE OF WASHINGTON 1920-1982

YEARS	LEPROSY				YEARS	LEPROSY			
	CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.		CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.
1920	0	0	0	0	1952	0	0	0	0
1921	1	.07	0	0	1953	1	.04	0	0
1922	1	.07	0	0	1954	0	0	0	0
1923	1	.07	0	0	1955	0	0	0	0
1924	0	0	0	0	1956	1	.04	0	0
1925	2	.14	0	0	1957	0	0	0	0
1926	0	0	0	0	1958	0	0	0	0
1927	1	.07	0	0	1959	1	0	0	0
1928	2	.14	0	0	1960	1	.04	0	0
1929	0	0	0	0	1961	0	0	0	0
1930	1	.06	0	0	1962	0	0	0	0
1931	1	.06	0	0	1963	1	.03	0	0
1932	2	.12	0	0	1964	0	0	0	0
1933	2	.12	0	0	1965	1	.03	0	0
1934	1	.06	0	0	1966	2	.12	0	0
1935	0	0	0	0	1967	0	0	0	0
1936	0	0	0	0	1968	0	0	0	0
1937	0	0	0	0	1969	2	.06	0	0
1938	1	0	0	0	1970	1	.06	0	0
1939	0	0	0	0	1971	0	0	0	0
1940	0	0	0	0	1972	2	.06	0	0
1941	1	.05	0	0	1973	0	0	0	0
1942	1	.05	0	0	1974	0	0	0	0
1943	0	0	0	0	1975	0	0	0	0
1944	1	0	0	0	1976	1	.03	0	0
1945	0	.05	0	0	1977	3	.08	0	0
1946	1	0	0	0	1978	2	.05	0	0
1947	0	0	0	0	1979	0	0	0	0
1948	0	0	0	0	1980	1	.02	0	0
1949	1	.05	0	0	1981	0	.11	0	0
1950	0	0	0	0	1982	15	.35	0	0
1951	1	1	0	0	1983				

ANNUAL REPORT OF COMMUNICABLE DISEASES AND DEATHS
STATE OF WASHINGTON 1920-1982

YEARS	LEPTOSPIROSIS				YEARS	LEPTOSPIROSIS			
	CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.		CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.
1920	0	0	0	0	1952	0	0	0	0
1921	0	0	0	0	1953	1	.04	0	0
1922	0	0	0	0	1954	1	.04	0	0
1923	0	0	0	0	1955	1	.04	0	0
1924	0	0	0	0	1956	0	0	0	0
1925	0	0	0	0	1957	1	.04	0	0
1926	0	0	0	0	1958	0	0	0	0
1927	0	0	0	0	1959	2	.07	1	.04
1928	0	0	0	0	1960	0	0	0	0
1929	0	0	0	0	1961	0	0	0	0
1930	0	0	0	0	1962	2	.07	0	0
1931	0	0	0	0	1963	0	0	0	0
1932	0	0	0	0	1964	61	2.03	0	0
1933	0	0	0	0	1965	0	0	0	0
1934	0	0	0	0	1966	0	0	0	0
1935	0	0	0	0	1967	1	.03	0	0
1936	0	0	0	0	1968	0	0	0	0
1937	0	0	0	0	1969	0	0	0	0
1938	0	0	0	0	1970	0	0	0	0
1939	0	0	0	0	1971	0	0	0	0
1940	17	.94	0	0	1972	1	.03	0	0
1941	2	.11	0	0	1973	0	0	0	0
1942	0	0	0	0	1974	0	0	0	0
1943	0	0	0	0	1975	0	0	0	0
1944	0	0	0	0	1976	0	0	0	0
1945	0	0	0	0	1977	2	.06	0	0
1946	0	0	0	0	1978	1	.03	0	0
1947	0	0	0	0	1979	0	0	0	0
1948	0	0	0	0	1980	0	0	0	0
1949	0	0	0	0	1981	1	.03	0	0
1950	0	0	0	0	1982	6	.14	0	0
1951	0	0	0	0	1983				

**ANNUAL REPORT OF COMMUNICABLE DISEASES AND DEATHS
STATE OF WASHINGTON 1920-1982**

YEARS	MALARIA				YEARS	MALARIA			
	CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.		CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.
1920	0	0	0	0	1952	60	2.4	0	0
1921	3	.22	3	.22	1953	52	2.0	0	0
1922	0	0	0	0	1954	22	.9	0	0
1923	1	.07	0	0	1955	3	.5	0	0
1924	0	0	0	0	1956	5	0.2	0	0
1925	0	0	0	0	1957	0	0	0	0
1926	0	0	0	0	1958	0	0	0	0
1927	0	0	0	0	1959	2	.07	0	0
1928	2	.13	0	0	1960	2	.07	0	0
1929	3	.19	1	.06	1961	3	.10	0	0
1930	3	.19	0	0	1962	0	0	0	0
1931	0	0	0	.06	1963	2	.07	0	0
1932	1	.06	1	.06	1964	2	.07	0	0
1933	1	.06	1	.12	1965	2	.07	0	0
1934	3	.18	2	.06	1966	0	0	0	0
1935	1	.06	1	0	1967*	0	0	0	0
1936	1	.06	0	0	1968**	3	.09	0	0
1937	0	0	0	0	1969	0	0	0	0
1938	5	.29	0	0	1970	3	.09	0	0
1939	1	.06	0	0	1971	2	.06	0	0
1940	2	.12	0	0	1972	1	.03	0	0
1941	8	.44	0	0	1973	4	.11	0	0
1942	3	.16	0	0	1974	0	0	0	0
1943	1	.05	0	0	1975	8	.22	0	0
1944	2	.10	0	0	1976	5	.14	0	0
1945	10	.48	0	0	1977	5	.14	1	.06
1946	29	1.40	0	0	1978	12	.31	0	0
1947	13	.59	0	0	1979	22	.55	0	0
1948	4	.18	1	.04	1980	59	1.40	0	0
1949	2	.09	2	.09	1981	30	.70	0	0
1950	1	.04	0	0	1982	24	.60	0	0
1951	0	0	0	0	1983				

*77 Military **50 Military

ANNUAL REPORT OF COMMUNICABLE DISEASES AND DEATHS
STATE OF WASHINGTON 1920-1982

YEARS	MEASLES				YEARS	MEASLES			
	CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.		CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.
1920	10,063	737	78	5.7	1952	5,446	218	4	.2
1921	2,656	191	25	1.8	1953	12,373	489	12	1.5
1922	426	30	2	0.1	1954	21,662	844	9	.4
1923	8,344	585	23	1.6	1955	11,585	448	2	.07
1924	21,372	1,474	181	12.6	1956	11,585	437	2	.08
1925	347	23	3	0.2	1957	17,764	655	8	.3
1926	2,966	201	9	0.6	1958	11,428	413	6	.2
1927	11,845	785	56	3.7	1959	16,649	591	1	.04
1928	5,651	369	21	1.4	1960	13,678	479	1	.04
1929	4,075	263	22	1.4	1961	9,271	320	3	.1
1930	10,120	644	26	1.7	1962	22,060	748	4	.1
1931	3,455	218	32	2.0	1963	6,774	23	1	.03
1932	10,394	650	36	2.3	1964	22,799	758	3	.1
1933	2,987	185	9	0.6	1965	7,944	259	1	.03
1934	8,051	494	15	0.9	1966	5,528	177	1	.03
1935	9,090	554	24	1.5	1967	5,876	182	1	.03
1936	7,703	467	33	2.0	1968	609	18	0	0
1937	1,798	106	13	.8	1969	82	2	0	0
1938	1,709	100	3	.2	1970	912	27	0	0
1939	22,439	1,300	15	.9	1971	2,030	59	0	0
1940	17,254	990	18	1.0	1972	1,483	43	1	.03
1941	1,857	102	4	.2	1973	1,116	32	0	0
1942	12,926	682	11	.6	1974	84	2	0	0
1943	15,458	795	7	?	1975	307	9	0	0
1944	5,946	296	0	0	1976	298	8	0	0
1945	7,161	345	0	0	1977	658	17	0	0
1946	12,405	580	0	0	1978	442	12	1	.03
1947	1,309	59	0	0	1979	1,170	29	0	0
1948	12,915	570	9	.4	1980	178	4	0	0
1949	12,661	543	7	.3	1981	3	.07	0	0
1950	3,695	155	3	.1	1982	42	1	0	0
1951	18,656	763	13	.5	1983				

ANNUAL REPORT OF COMMUNICABLE DISEASES AND DEATHS
STATE OF WASHINGTON 1920-1982

YEARS	ASEPTIC MENINGITIS*				YEARS	ASEPTIC MENINGITIS			
	CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.		CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.
1920					1952				
1921					1953				
1922					1954				
1923					1955				
1924					1956				
1925					1957	62	2	1	.04
1926					1958	524	19	0	0
1927					1959	194	7	0	0
1928					1960	148	5	0	0
1929					1961	96	3	2	0
1930					1962	64	2	0	0
1931					1963	93	3	0	0
1932					1964	72	2	0	0
1933					1965	55	2	1	.03
1934					1966	66	2	1	.03
1935					1967	74	2	1	.03
1936					1968	56	2	1	.03
1937					1969	156	5	0	0
1938					1970	55	2	0	.0
1939					1971	72	2	2	.05
1940					1972	137	4	0	.0
1941					1973	109	3	1	.03
1942					1974	83	2	0	0
1943					1975	50	1	0	0
1944					1976	40	1	0	0
1945					1977	70	2	2	.05
1946					1978	129	3	0	0
1947					1979	158	4	0	0
1948					1980	81	2	1	.03
1949					1981	191	5	1	.03
1950					1982	153	4	0	0
1951					1983				

*1957 first year totals kept.

ANNUAL REPORT OF COMMUNICABLE DISEASES AND DEATHS
STATE OF WASHINGTON 1920-1982

YEARS	H. FLU MENINGITIS*				YEARS	H. FLU MENINGITIS			
	CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.		CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.
1920					1952				
1921					1953				
1922					1954				
1923					1955				
1924					1956				
1925					1957				
1926					1958				
1927					1959				
1928					1960				
1929					1961				
1930					1962				
1931					1963				
1932					1964				
1933					1965				
1934					1966				
1935					1967				
1936					1968				
1937					1969				
1938					1970				
1939					1971	21	.6	7	.20
1940					1972	15	.4	6	.17
1941					1973	10	.3	4	.12
1942					1974	9	.3	5	.14
1943					1975	16	.5	6	.17
1944					1976	21	.6	6	.17
1945					1977	86	2.3	7	.19
1946					1978	116	3.0	9	.23
1947					1979	128	3.2	6	.15
1948					1980	126	3.0	0	.17
1949					1981	156	4.0	0	.05
1950					1982	181	4.2	?	
1951					1983			5	

*1971 first year totals kept.

ANNUAL REPORT OF COMMUNICABLE DISEASES AND DEATHS
STATE OF WASHINGTON 1920-1982

YEARS	MENINGOCOCCAL MENINGITIS				YEARS	MENINGOCOCCAL MENINGITIS			
	CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.		CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.
1920	31	2.3	20	1.5	1952	69	2.7	7	.3
1921	19	1.4	17	1.2	1953	65	2.5	14	.6
1922	31	2.2	11	.8	1954	55	2.1	11	.4
1923	22	1.5	17	1.2	1955	56	2.1	7	.3
1924	23	1.6	16	1.1	1956	34	1.2	8	.3
1925	61	4.2	41	2.8	1957	43	1.6	11	.4
1926	239	16.1	109	7.3	1958	36	1.3	3	.1
1927	198	13.1	116	7.7	1959	32	1.1	5	.2
1928	146	9.6	82	5.4	1960	28	.9	4	.1
1929	304	19.6	115	7.4	1961	38	1.3	4	.1
1930	159	10.1	78	4.7	1962	29	1.0	4	.1
1931	69	3.8	31	2.0	1963	49	1.6	8	.3
1932	34	2.1	23	1.4	1964	57	1.9	6	.2
1933	40	2.5	18	1.1	1965	61	2.0	7	.2
1934	37	2.3	15	.9	1966	58	1.8	4	.1
1935	79	4.8	36	2.2	1967	30	.9	2	.06
1936	53	3.2	24	1.4	1968	45	1.3	4	.1
1937	55	3.2	19	1.1	1969	54	1.6	7	.2
1938	20	1.2	12	.7	1970	43	1.3	4	.1
1939	17	1.0	8	.5	1971	64	1.9	6	.2
1940	23	1.3	7	.4	1972	28	.8	5	.2
1941	25	1.4	5	.3	1973	23	.6	3	.08
1942	48	2.5	9	.5	1974	21	.6	0	0
1943	242	12.4	?	?	1975	25	.7	2	.05
1944	240	11.9	?	?	1976	35	1.0	1	.02
1945	132	3.4	49	2.4	1977	44	1.1	0	0
1946	60	2.8	15	.7	1978	55	1.4	3	.08
1947	47	2.1	14	.6	1979	66	1.7	2	.05
1948	46	2.0	0	0	1980	67	1.6	3	.08
1949	60	2.5	19	.8	1981	78	1.8	2	.05
1950	65	2.7	6	.2	1982	56	1.3	?	
1951	71	2.9	9	.4	1983				

ANNUAL REPORT OF COMMUNICABLE DISEASES AND DEATHS
STATE OF WASHINGTON 1920-1982

YEARS	MUMPS				YEARS	MUMPS			
	CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.		CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.
1920	1,480	108	0	0	1952	7,152	286	2	.08
1921	1,004	73	1	.07	1953	10,921	432	0	0
1922	1,725	123	1	.07	1954	9,430	367	1	.04
1923	906	64	0	0	1955	6,423	248	0	0
1924	1,502	104	2	.13	1956	8,904	336	0	0
1925	3,609	246	0	0	1957	6,137	226	0	0
1926	2,828	190	3	.13	1958	9,910	358	1	.04
1927	3,069	204	2	.13	1959	10,904	387	1	.04
1928	2,723	178	1	.07	1960	14,590	511	0	0
1929	2,964	191	2	.13	1961	14,692	507	1	.04
1930	3,436	219	7	.44	1962	7,675	260	0	0
1931	1,736	110	3	.10	1963	14,009	471	1	.04
1932	834	52	0	0	1964	21,496	715	0	0
1933	2,071	128	0	0	1965	9,604	313	0	0
1934	4,387	268	1	.06	1966	10,541	337	0	0
1935	4,023	243	2	.12	1967	12,375	383	1	.03
1936	2,603	156	1	.06	1968	7,891	237	1	.03
1937	4,633	274	1	.06	1969	5,175	154	0	0
1938	5,211	305	0	0	1970	6,976	204	1	.03
1939	2,069	120	0	0	1971	9,483	276	1	.03
1940	2,911	166	1	.06	1972	6,616	193	0	0
1941	8,336	459	1	.06	1973	1,949	57	1	.03
1942	12,367	658	0	0	1974	2,284	65	1	.03
1943	6,447	331	0	0	1975	4,732	133	0	0
1944	5,135	256	0	0	1976	946	26	0	0
1945	7,321	353	0	0	1977	371	10	0	0
1946	4,409	206	0	0	1978	223	6	0	0
1947	3,726	169	1	.13	1979	261	7	1	.03
1948	12,247	540	2	.26	1980	166	4	0	0
1949	4,488	193	1	.13	1981	165	4	0	0
1950	4,102	172	1	.13	1982	102	2	0	0
1951	6,887	159	2	.08	1983				

ANNUAL REPORT OF COMMUNICABLE DISEASES AND DEATHS
STATE OF WASHINGTON 1920-1982

YEARS	PERTUSSIS				YEARS	PERTUSSIS			
	CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.		CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.
1920	2,062	84	104	4	1952	164	7	1	.04
1921	1,515	61	51	2	1953	607	24	1	.04
1922	1,461	58	66	3	1954	1,419	55	1	.04
1923	2,806	109	77	3	1955	1,005	38	1	.04
1924	733	28	24	.90	1956	341	13	1	.04
1925	3,273	123	86	3	1957	286	11	1	.04
1926	2,175	80	87	3	1958	1,018	37	1	.04
1927	1,263	46	33	1	1959	571	20	0	0
1928	773	27	18	.60	1960	251	9	0	0
1929	2,816	99	35	1	1961	344	12	0	0
1930	2,825	98	48	2	1962	663	23	0	0
1931	3,111	106	52	2	1963	517	17	0	0
1932	975	33	13	.40	1964	275	9	0	0
1933	1,134	38	4	.10	1965	115	4	1	.03
1934	4,955	162	44	1	1966	253	8	0	0
1935	940	30	31	1	1967	247	8	0	0
1936	1,143	35	13	.40	1968	97	3	0	0
1937	3,069	92	31	.90	1969	146	4	0	0
1938	4,507	134	32	.90	1970	226	6	0	0
1939	991	29	3	.08	1971	106	3	0	0
1940	2,576	75	19	.60	1972	103	3	0	0
1941	4,960	145	51	1.50	1973	77	2	0	0
1942	2,860	83	0	0	1974	87	3	0	0
1943	2,406	69	0	0	1975	38	1	0	0
1944	1,415	40	4	.11	1976	26	.70	0	0
1945	1,350	37	2	.06	1977	71	2	2	.05
1946	1,559	42	14	.40	1978	59	2	0	0
1947	1,501	39	7	.18	1979	11	.30	0	0
1948	994	25	4	.10	1980	77	2	0	0
1949	779	19	4	.10	1981	58	1	1	.03
1950	2,141	50	3	.07	1982	36	.84	0	0
1951	661	27	2	.08	1983				

ANNUAL REPORT OF COMMUNICABLE DISEASES AND DEATHS
STATE OF WASHINGTON 1920-1982

YEARS	PLAGUE (HUMAN)				YEARS	PLAGUE (HUMAN)			
	CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.		CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.
1920					1952				
1921					1953				
1922					1954				
1907 last definite case of human plague, King County. 1913 suspect case of human plague, King County.									
1927					1959				
1928					1960				
1929					1961				
1930					1962				
1931					1963				
1932					1964				
1933					1965				
1934					1966				
1935					1967				
1936					1968				
1937					1969				
1938					1970				
1939					1971				
1940					1972				
1941					1973				
1942					1974				
1943					1975				
1944					1976				
1945					1977				
1946					1978				
1947					1979				
1948					1980				
1949					1981				
1950					1982				
1951					1983				

ANNUAL REPORT OF COMMUNICABLE DISEASES AND DEATHS
STATE OF WASHINGTON 1920-1982

YEARS	POLIOMYELITIS *				YEARS	POLIOMYELITIS			
	CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.		CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.
1920	10	.7	4	.3	1952	1,320	52.8	22/1 LE	.9
1921	337	24.3	122	8.9	1953	445	17.6	18/1 LE	.7
1922	19	1.4	8	.6	1954	489	19.0	15.0 LE	.6
1923	22	1.5	11	.8	1955	517	19.9	13/8 LE	.5
1924	592	40.9	104	7.2	1956	192	7.2	6/1 LE	.2
1925	115	7.8	34	2.3	1957	23	.84	2/2 LE	.07
1926	14	.9	7	.5	1958	40	1.4	4/2 LE	.1
1927	292	19.4	65	4.3	1959	238	8.4	12/3 LE	.43
1928	343	22.4	55	3.6	1960	49	1.7	3/2 LE	.10
1929	31	2.0	11	.7	1961	35	1.2	3/5 LE	.10
1930	51	3.3	10	.6	1962	6	.2	0/4 LE	0
1931	86	5.4	16	1.0	1963	2	.06	0/2 LE	0
1932	84	5.2	11	.7	1964	0	0	0/4 LE	0
1933	90	5.6	16	1.0	1965	4	.1	0/1 LE	0
1934	743	45.2	54	3.3	1966	6	.2	2/4 LE	.06
1935	46	2.8	7	.4	1967	0	0	0/2 LE	0
1936	77	4.6	16	1.0	1968	1	.03	0	0
1937	87	5.1	7	.4	1969	0	0	1/3 LE	.03
1938	18	1.1	4	.2	1970	1	.03	0/1 LE	0
1939	27	1.6	6	.3	1971	1	.03	0/2 LE	0
1940	449	25.8	41	2.3	1972	0	0	0/2 LE	0
1941	74	4.0	55	.3	1973	0	0	0/1 LE	0
1942	33	1.7	6	.3	1974	0	0	0/2 LE	0
1943	359	18.4	?	0	1975	0	0	0	0
1944	203	10.1	?	0	1976	1	.03	0/2 LE	0
1945	328	15.8	?	0	1977	1	.03	0/1 LE	0
1946	519	24.2	31	1.4	1978	1	.03	0/2 LE	0
1947	168	7.6	9	.4	1979	1	.03	0/2 LE	0
1948	385	12.9	37	1.6	1980	1	.02	0/3 LE	0
1949	590	25.3	32	1.4	1981	1	.02	0/3 LE	0
1950	633	26.6	30	1.3	1982	1	.02	0/0	0
1951	448	18.3	17/5 LE*	.7	1983				

*LE=Late Effects, not included in death rates p/100,000. Late effects death statistics taken from death certificates.

ANNUAL REPORT OF COMMUNICABLE DISEASES AND DEATHS
STATE OF WASHINGTON 1920-1982

YEARS	PSITTACOSIS*				YEARS	PSITTACOSIS			
	CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.		CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.
1920					1952	1	.04	0	
1921					1953	3	.12	0	
1922					1954	15	.59	0	
1923					1955	9	.35	0	
1924					1956	25	.94	0	
1925					1957	5	.18	0	
1926					1958	1	.04	0	
1927					1959	1	.04	0	
1928					1960	2	.07	0	
1929					1961	2	.07	0	
1930					1962	0	0	0	
1931					1963	0	0	0	
1932					1964	0	0	0	
1933					1965	1	.03	0	
1934					1966	1	.03	0	
1935					1967	1	.03	0	
1936					1968	0	0	0	
1937					1969	1	.03	0	
1938					1970	1	.03	0	
1939					1971	0	0	0	
1940					1972	0	0	0	
1941					1973	0	0	0	
1942					1974	2	.06	0	
1943					1975	1	.03	0	
1944	1	.05	0	0	1976	5	.14	0	
1945	0	0	0	0	1977	1	.03	0	
1946	2	.09	0	0	1978	5	.13	0	
1947	2	.09	0	0	1979	3	.08	0	
1948	1	.04	0	0	1980	5	.12	0	
1949	1	.04	1	.04	1981	4	.09	0	
1950	0	0	0	0	1982	10	.23	0	
1951	0	0	0	0	1983				

*1944 first year records kept.

ANNUAL REPORT OF COMMUNICABLE DISEASES AND DEATHS
STATE OF WASHINGTON 1920-1982

YEARS	RABIES (HUMAN)*				YEARS	RABIES (HUMAN)			
	CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.		CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.
1920					1952				
1921					1953				
1922					1954				
1923					1955				
1924					1956				
1925					1957				
1926					1958				
1927					1959				
1928					1960				
1929					1961				
1930					1962				
1931					1963				
1932					1964				
1933	1	.06	1	.06	1965				
1934	2	.12	2	.12	1966				
1935	1	.06	1	.06	1967				
1936	0	0	0	0	1968				
1937	0	0	0	0	1969				
1938	1	.06	1	.06	1970				
1939	1	.06	1	.06	1971				
1940					1972				
1941					1973				
1942					1974				
1943					1975				
1944					1976				
1945					1977				
1946					1978				
1947					1979				
1948					1980				
1949					1981				
1950					1982				
1951					1983				

*No human cases of rabies reported before 1934, none reported after 1939.

ANNUAL REPORT OF COMMUNICABLE DISEASES AND DEATHS
STATE OF WASHINGTON 1920-1982

YEARS	RELAPSING FEVER*				YEARS	RELAPSING FEVER			
	CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.		CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.
1920					1952	0	0	0	0
1921					1953	0	0	0	0
1922					1954	0	0	0	0
1923					1955	0	0	0	0
1924					1956	0	0	0	0
1925					1957	0	0	0	0
1926					1958	0	0	0	0
1927					1959	0	0	0	0
1928					1960	0	0	0	0
1929					1961	0	0	0	0
1930					1962	0	0	0	0
1931					1963	0	0	0	0
1932					1964	0	0	0	0
1933					1965	0	0	0	0
1934					1966	0	0	0	0
1935	0	0	0	0	1967	0	0	0	0
1936	0	0	0	0	1968	11	.33	0	0
1937	0	0	0	0	1969	0	0	0	0
1938	0	0	0	0	1970	0	0	0	0
1939	0	0	0	0	1971	0	0	0	0
1940	0	0	0	0	1972	0	0	0	0
1941	0	0	0	0	1973	0	0	0	0
1942	0	0	0	0	1974	1	.03	0	0
1943	1	.05	0	0	1975	0	0	0	0
1944	0	0	0	0	1976	2	.06	0	0
1945	0	0	0	0	1977	2	.06	0	0
1946	0	0	0	0	1978	0	0	0	0
1947	0	0	0	0	1979	1	.03	0	0
1948	0	0	0	0	1980	11	.27	0	0
1949	0	0	0	0	1981	3	.07	0	0
1950	0	0	0	0	1982	3	.07	0	0
1951	0	0	0	0	1983				

*1935 first year totals kept.

ANNUAL REPORT OF COMMUNICABLE DISEASES AND DEATHS
STATE OF WASHINGTON 1920-1982

YEARS	ROCKY MOUNTAIN SPOTTED FEVER				YEARS	ROCKY MOUNTAIN SPOTTED FEVER			
	CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.		CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.
1920	0	0	0	0	1952	0	0	0	0
1921	6	.43	0	0	1953	0	0	0	0
1922	8	.57	1	.07	1954	0	0	0	0
1923	3	.21	0	0	1955	0	0	0	0
1924	6	.41	0	0	1956	0	0	0	0
1925	1	.07	1	.07	1957	1	.03	0	0
1926	1	.07	1	.07	1958	0	0	0	0
1927	2	.14	0	0	1959	0	0	0	0
1928	2	.14	0	0	1960	1	.03	0	0
1929	5	.32	0	0	1961	0	0	0	0
1930	2	.13	0	0	1962	1	.03	0	0
1931	0	0	0	0	1963	1	.03	0	0
1932	1	.96	0	0	1964	0	0	0	0
1933	3	.21	0	0	1965	0	0	0	0
1934	9	.55	7	.42	1966	0	0	0	0
1935	3	.18	2	.12	1967	2	.06	0	0
1936	2	.12	0	0	1968	0	0	0	0
1937	0	0	0	0	1969	4	.12	0	0
1938	1	.06	1	.06	1970	0	0	0	0
1939	9	.52	2	.12	1971	0	0	0	0
1940	5	.29	2	.12	1972	2	.06	1	.03
1941	6	.33	2	.11	1973	0	0	0	0
1942	5	.27	0	0	1974	1	.03	0	0
1943	3	.15	0	0	1975	1	.03	0	0
1944	1	.05	0	0	1976	3	.08	1	.03
1945	1	.95	0	0	1977	0	0	0	0
1946	4	.18	0	0	1978	1	.03	0	0
1947	0	0	0	0	1979	0	0	0	0
1948	0	0	0	0	1980	0	0	0	0
1949	1	.04	0	0	1981	1	.03	0	0
1950	0	0	0	0	1982	0	0	0	0
1951	0	0	0	0	1983				

ANNUAL REPORT OF COMMUNICABLE DISEASES AND DEATHS
STATE OF WASHINGTON 1920-1982

YEARS	RUBELLA				YEARS	RUBELLA			
	CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.		CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.
1920	153	11	0	0	1952	5,131	206	0	0
1921	74	5	0	0	1953	3,776	149	0	0
1922	81	6	0	0	1954	1,406	55	0	0
1923	82	6	0	0	1955	1,999	77	0	0
1924	194	13	0	0	1956	1,704	64	1	.04
1925	1,461	100	0	0	1957	8,826	325	1	.04
1926	1,748	118	0	0	1958	5,837	211	2	.07
1927	6,360	422	0	0	1959	10,625	377	0	0
1928	513	34	0	0	1960	4,230	148	1	.04
1929	208	13	0	0	1961	5,152	178	0	0
1930	1,004	64	0	0	1962	3,176	108	0	0
1931	901	57	0	0	1963	5,526	186	1	.04
1932	379	24	0	0	1964	11,119	370	1	.04
1933	153	9	0	0	1965	25,258	824	0	0
1934	426	26	0	0	1966	3,435	110	0	0
1935	6,334	382	3	.18	1967	3,337	105	0	0
1936	2,136	128	0	0	1968	2,038	61	0	0
1937	176	10	0	0	1969	2,169	64	0	0
1938	136	8	0	0	1970	2,161	63	1	.04
1939	166	10	0	0	1971	3,052	89	0	0
1940	570	33	0	0	1972	1,257	37	0	0
1941	11,269	620	0	0	1973	784	23	0	0
1942	1,057	56	0	0	1974	420	12	0	0
1943	5,257	270	0	0	1975	363	10	0	0
1944	1,989	99	0	0	1976	228	6	0	0
1945	1,134	55	0	0	1977	482	13	0	0
1946	911	43	0	0	1978	149	4	0	0
1947	860	39	0	0	1979	228	6	0	0
1948	707	31	0	0	1980	97	2	0	0
1949	2,747	118	0	0	1981	108	3	0	0
1950	1,053	44	0	0	1982	58	1	0	0
1951	1,668	68	0	0	1983				

ANNUAL REPORT OF COMMUNICABLE DISEASES AND DEATHS
STATE OF WASHINGTON 1920-1982

YEARS	SALMONELLOSIS*				YEARS	SALMONELLOSIS			
	CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.		CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.
1920					1952	41	1.64	2	.08
1921					1953	147	5.81	0	0
1922					1954	151	5.88	1	.04
1923					1955	153	5.14	1	.04
1924					1956	325	12.26	0	0
1925					1957	120	4.42	0	0
1926					1958	169	6.10	1	.04
1927					1959	104	3.69	1	.04
1928					1960	99	3.47	1	.04
1929					1961	238	8.21	2	.07
1930					1962	210	7.12	2	.07
1931					1963	427	14.37	1	.03
1932					1964	338	11.24	2	.07
1933					1965	463	15.11	1	.03
1934					1966	340	10.88	2	.06
1935					1967	380	11.76	2	.06
1936					1968	230	6.91	1	.03
1937					1969	293	8.70	2	.09
1938					1970	273	8.58	1	.03
1939					1971	284	8.27	1	.03
1940					1972	274	7.99	0	0
1941					1973	361	10.48	0	0
1942					1974	331	9.43	0	0
1943					1975	337	9.45	2	.06
1944					1976	368	10.12	0	0
1945					1977	367	9.88	0	0
1946					1978	417	10.90	1	.03
1947	10	.50	0	0	1979	712	17.89	0	0
1948	14	.60	0	0	1980	461	11.16	0	0
1949	33	1.40	0	0	1981	574	13.51	1	.03
1950	48	2.00	0	0	1982	749	17.60	0	0
1951	100	4.09	0	0	1983				

*1947 first year totals kept.

ANNUAL REPORT OF COMMUNICABLE DISEASES AND DEATHS
STATE OF WASHINGTON 1920-1982

YEARS	SHIGELLOSIS*				YEARS	SHIGELLOSIS			
	CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.		CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.
1920					1952	363	14.5	2	.98
1921					1953	491	19.4	3	.11
1922					1954	155	6.0	0	0
1923					1955	116	4.4	0	0
1924					1956	67	2.5	3	.11
1925					1957	206	7.5	0	0
1926					1958	411	14.5	2	.07
1927					1959	263	9.2	0	0
1928					1960	98	3.4	0	0
1929					1961	96	3.3	0	0
1930					1962	297	10.0	0	0
1931					1963	412	13.7	1	.03
1932					1964	506	16.5	1	.03
1933					1965	280	9.0	3	.10
1934					1966	344	11.0	0	0
1935					1967	348	10.7	0	0
1936					1968	399	11.9	1	.03
1937					1969	175	5.2	0	0
1938					1970	175	5.2	1	.03
1939					1971	297	8.6	0	0
1940					1972	474	13.8	0	0
1941					1973	315	9.1	1	.03
1942					1974	484	13.8	2	.06
1943					1975	637	17.9	0	0
1944					1976	223	6.1	0	0
1945					1977	213	5.7	0	0
1946					1978	233	6.0	0	0
1947	13	.59	0	0	1979	310	7.8	1	.03
1948	7	.31	1	.03	1980	287	6.9	0	0
1949	19	.81	1	.04	1981	426	10.0	1	.03
1950	31	1.30	1	.04	1982	284	6.7	?	0
1951	7	.30	1	.14	1983				

*1946 first year totals kept.

ANNUAL REPORT OF COMMUNICABLE DISEASES AND DEATHS
STATE OF WASHINGTON 1920-1982

YEARS	SMALLPOX*				YEARS	SMALLPOX			
	CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.		CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.
1920	6,146	450.3	18	1.3	1952				
1921	4,443	320.7	9	.6	1953				
1922	1,595	113.5	2	.1	1954				
1923	1,623	113.8	8	.6	1955				
1924	1,973	136.4	2	.1	1956				
1925	2,001	136.4	4	.3	1957				
1926	2,413	162.2	31	2.1	1958				
1927	1,806	119.2	7	.5	1959				
1928	1,172	116.0	0	0	1960				
1929	2,212	142.8	5	.3	1961				
1930	2,378	151.6	8	.5	1962				
1931	1,112	70.2	3	.2	1963				
1932	635	39.7	2	.1	1964				
1933	288	17.8	2	.1	1965				
1934	580	35.3	0	0	1966				
1935	1,347	81.1	1	.06	1967				
1936	331	19.7	2	.1	1968				
1937	479	28.8	0	0	1969				
1938	966	56.5	0	0	1970				
1939	89	5.2	1	.05	1971				
1940	14	.8	0	0	1972				
1941	31	1.7	0	0	1973				
1942	10	.5	0	0	1974				
1943	6	.3	0	0	1975				
1944	11	.5	0	0	1976				
1945	10	.5	1	.05	1977				
1946	68	3.2	20	.9	1978				
1947	0	0	0	0	1979				
1948	0	0	0	0	1980				
1949	0	0	0	0	1981				
1950	0	0	0	0	1982				
1951	0	0	0	0	1983				

The last reported case of endemic smallpox occurred in Somalia in October 1977. At the World Health Assembly (WHO) in May 1980, WHO declared the world free of smallpox.

*No cases of smallpox in Washington since 1947.

ANNUAL REPORT OF COMMUNICABLE DISEASES AND DEATHS
STATE OF WASHINGTON 1920-1982

YEARS	SYPHILIS*				YEARS	SYPHILIS			
	CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.		CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.
1920	896	65.6	131	9.6	1952	65	2.60	89	2.36
1921	766	55.3	96	6.9	1953	48	1.89	65	2.57
1922	947	67.4	155	11.0	1954	19	.74	97	3.78
1923	740	51.9	127	8.9	1955	33	1.27	65	2.45
1924	917	63.4	146	10.1	1956	23	.86	28	1.06
1925	524	35.7	180	12.3	1957	27	.99	65	2.40
1926	883	59.4	157	10.6	1958	28	1.01	50	1.81
1927	918	60.9	150	9.9	1959	130	4.61	53	1.88
1928	1,113	72.8	171	11.1	1960	161	2.13	59	2.07
1929	1,316	85.0	156	10.1	1961	87	3.00	34	1.17
1930	1,394	88.8	164	10.5	1962	44	1.49	37	1.26
1931	1,481	93.4	176	11.1	1963	124	4.17	31	1.04
1932	1,499	93.7	169	10.5	1964	73	2.42	32	1.06
1933	1,420	87.7	148	9.1	1965	70	2.28	50	1.36
1934	1,325	80.7	144	8.8	1966	45	1.44	39	1.25
1935	1,626	97.9	147	8.9	1967	60	1.85	43	1.33
1936	1,937	115.5	144	8.6	1968	45	2.04	3	.09
1937	3,512	207.3	193	11.4	1969	61	1.81	5	.15
1938	3,191	186.6	180	10.5	1970	63	1.84	6	.18
1939	2,925	169.5	163	9.4	1971	142	4.13	7	.02
1940	2,684	154.6	240	13.7	1972	129	3.76	10	.29
1941	2,820	155.3	228	12.6	1973	156	4.52	7	.02
1942	3,143	167.2	216	11.5	1974	138	3.93	5	.15
1943**	961	49.4	231***	11.9	1975	215	6.02	2	.06
1944	783	38.9	216	11.0	1976	180	4.95	5	.14
1945	670	32.3	190	9.2	1977	261	7.02	1	.03
1946	719	32.9	186	8.7	1978	265	7.02	1	.03
1947	524	23.8	178	8.1	1979	219	5.59	2	.05
1948	439	19.3	132	5.8	1980	262	6.34	8	.19
1949	262	11.2	130	5.6	1981	196	4.61	2	.05
1950	115	4.8	88	3.7	1982	172	4.03	?	
1951	78	3.2	98	4.0	1983				

*DSHS, HSD, VD Program P&S syphilis stats 1943-1981, 1920-1942 DSHS, HSD, Epidemiology Section stats.

1943-1981 Primary/Secondary. * 1943-1981 deaths all stages, DHHS, PHS, CDC, CDS, VD (Deaths Due to Syphilis 1940-1969).

ANNUAL REPORT OF COMMUNICABLE DISEASES AND DEATHS
STATE OF WASHINGTON 1920-1982

YEARS	TETANUS*				YEARS	TETANUS			
	CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.		CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.
1920					1952	1	.04	1	.13
1921					1953	2	.08	2	.04
1922					1954	6	.23	3	.08
1923					1955	3	.12	1	.12
1924	2	.14	0	0	1956	4	.15	1	.04
1925	0	0	0	0	1957	6	.22	2	.04
1926	8	.54	1	.06	1958	1	.04	0	.08
1927	3	.20	1	.06	1959	4	.14	1	0
1928	4	.26	1	.06	1960	2	.07	1	.04
1929	10	.67	6	.39	1961	2	.07	1	.04
1930	7	.45	2	.13	1962	3	.10	0	.04
1931	1	.06	1	.06	1963	1	.03	0	0
1932	8	.50	4	.25	1964	3	.10	1	.04
1933	4	.25	2	.12	1965	0	0	0	0
1934	8	.49	6	.37	1966	0	0	0	0
1935	1	.06	1	.06	1967	1	.03	0	0
1936	5	.30	2	.12	1968	2	.06	0	0
1937	4	.24	2	.12	1969	1	.03	0	0
1938	3	.18	2	.12	1970	1	.03	1	.03
1939	4	.23	4	.23	1971	3	.08	1	.02
1940	7	.40	4	.23	1972	0	0	0	0
1941	3	.18	0	0	1973	3	.09	0	0
1942	5	.30	0	0	1974	1	.03	0	0
1943	3	.15	0	0	1975	1	.03	0	0
1944	3	.15	0	0	1976	1	.03	0	0
1945	1	.05	1	.05	1977	0	0	0	0
1946	2	.10	2	.10	1978	1	.03	0	0
1947	5	.23	4	.18	1979	0	.06	0	0
1948	1	.04	1	.04	1980	2	0	2	.05
1949	4	.17	3	.13	1981	0	0	0	0
1950	0	0	0	0	1982	0	0	0	0
1951	4	.17	3	.13	1983				

*1924 first year records kept.

ANNUAL REPORT OF COMMUNICABLE DISEASES AND DEATHS
STATE OF WASHINGTON 1920-1982

YEARS	TICK PARALYSIS*				YEARS	TICK PARALYSIS			
	CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.		CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.
1920					1952	1	.04	0	
1921					1953	1	.04	0	
1922					1954	2	.08	0	
1923					1955	1	.04	0	
1924					1956	0	0	0	
1925					1957	0	0	0	
1926					1958	1	.04	0	
1927					1959	0	0	0	
1928					1960	1	.04	0	
1929					1961	0	0	0	
1930					1962	1	.03	0	
1931					1963	1	.03	0	
1932					1964	0	0	0	
1933					1965	0	0	0	
1934					1966	0	0	0	
1935	5	.30	0	0	1967	0	0	0	
1936	0	0	0	0	1968	1	.03	0	
1937	0	0	0	0	1969	0	0	0	
1938	0	0	0	0	1970	1	.03	0	
1939	0	0	0	0	1971	0	0	0	
1940	0	0	0	0	1972	0	0	0	
1941	0	0	0	0	1973	3	.09	0	
1942	0	0	0	0	1974	0	0	0	
1943	0	0	0	0	1975	1	.03	0	
1944	0	0	0	0	1976	0	0	0	
1945	0	0	0	0	1977	0	0	0	
1946	0	0	0	0	1978	1	.03	0	
1947	1	.05	1	.05	1979	0	0	0	
1948	0	0	0	0	1980	0	0	0	
1949	0	0	0	0	1981	1	.03	0	
1950	0	0	0	0	1982	2	.04	0	
1951	1	.05	0	0	1983				

*1935 first year records kept.

ANNUAL REPORT OF COMMUNICABLE DISEASES AND DEATHS
STATE OF WASHINGTON 1920-1982

YEARS	TOXIC SHOCK SYNDROME*				YEARS	TOXIC SHOCK SYNDROME			
	CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.		CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.
1920					1952				
1921					1953				
1922					1954				
1923					1955				
1924					1956				
1925					1957				
1926					1958				
1927					1959				
1928					1960				
1929					1961				
1930					1962				
1931					1963				
1932					1964				
1933					1965				
1934					1966				
1935					1967				
1936					1968				
1937					1969				
1938					1970				
1939					1971				
1940					1972				
1941					1973				
1942					1974				
1943					1975				
1944					1976				
1945					1977				
1946					1978	1	.03	0	0
1947					1979	2	.05	0	0
1948					1980	13	.32	4	.10
1949					1981	8	.19	0	0
1950					1982	10	.23	0	0
1951					1983				

*1978 first year records kept.

ANNUAL REPORT OF COMMUNICABLE DISEASES AND DEATHS
STATE OF WASHINGTON 1920-1982

YEARS	TRACOMA				YEARS	TRACOMA			
	CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.		CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.
1920	0	0	0		1952	3	.12	0	
1921	0	0	0		1953	0	0	0	
1922	1	.04	0		1954	19	.74	0	
1923	2	.08	0		1955	1	.04	0	
1924	2	.08	0		1956	1	.04	0	
1925	0	0	0		1957	0	0	0	
1926	3	.11	0		1958	0	0	0	
1927	9	.33	0		1959	0	0	0	
1928	2	.07	0		1960	0	0	0	
1929	1	.04	0		1961	0	0	0	
1930	0	0	0		1962	0	0	0	
1931	4	.14	0		1963	3	0	0	
1932	3	.10	0		1964	0	.10	0	
1933	2	.07	0		1965	0	0	0	
1934	2	.07	0		1966	0	0	0	
1935	78	2.50	0		1967	0	0	0	
1936	88	2.70	0		1968	0	0	0	
1937	25	.80	0		1969	0	0	0	
1938	5	.15	0		1970	0	0	0	
1939	6	.20	0		1971	0	0	0	
1940	24	.70	0		1972	0	0	0	
1941	28	.81	0		1973	0	0	0	
1942	0	0	0		1974	0	0	0	
1943	32	.91	0		1975	0	0	0	
1944	3	.08	0		1976	0	0	0	
1945	0	0	0		1977	0	0	0	
1946	1	.03	0		1978	0	0	0	
1947	4	.10	0		1979	0	0	0	
1948	18	.50	0		1980	0	0	0	
1949	2	.05	0		1981	0	0	0	
1950	2	.05	0		1982	0	0	0	
1951	4	.16	0		1983				

ANNUAL REPORT OF COMMUNICABLE DISEASES AND DEATHS
STATE OF WASHINGTON 1920-1982

YEARS	TRICHINOSIS*				YEARS	TRICHINOSIS			
	CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.		CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.
1920					1952	1	.04	0	
1921					1953	5	.20	0	
1922					1954	8	.31	0	
1923					1955	2	.08	0	
1924					1956	0	0	0	
1925	8	.54	0	0	1957	0	0	0	
1926	0	0	0	0	1958	0	0	0	
1927	0	0	0	0	1959	1	.04	0	
1928	0	0	0	0	1960	0	0	0	
1929	1	.07	0	0	1961	0	0	0	
1930	0	.07	0	0	1962	3	.10	0	
1931	1	0	0	0	1963	0	0	0	
1932	0	.06	0	0	1964	1	.04	0	
1933	0	0	0	0	1965	0	0	0	
1934	0	0	0	0	1966	0	0	0	
1935	0	0	0	0	1967	6	.19	0	
1936	0	0	0	0	1968	2	.06	0	
1937	0	0	0	0	1969	1	.03	0	
1938	0	0	0	0	1970	0	0	0	
1939	0	0	0	0	1971	0	0	0	
1940	0	0	0	0	1972	0	0	0	
1941	1	.05	1(Lewis)	.05	1973	1	.03	0	
1942	0	0	0	0	1974	1	.03	0	
1943	0	0	0	0	1975	0	0	0	
1944	0	0	0	0	1976	1	.03	0	
1945	6	.29	0	0	1977	1	.03	0	
1946	0	0	0	0	1978	1	.03	0	
1947	1	.05	0	0	1979	0	0	0	
1948	2	.09	0	0	1980	0	0	0	
1949	4	.17	0	0	1981	0	0	0	
1950	16	.67	0	0	1982	0	0	0	
1951	4	.17	0	0	1983				

*1925 first year totals kept.

ANNUAL REPORT OF COMMUNICABLE DISEASES AND DEATHS
STATE OF WASHINGTON 1920-1982

YEARS	TULAREMIA*				YEARS	TULAREMIA			
	CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.		CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.
1920					1952	3	.12	0	
1921					1953	1	.01	0	
1922					1954	2	.07	0	
1923					1955	1	.04	0	
1924					1956	0	0	0	
1925					1957	2	.07	0	
1926					1958	4	.15	0	
1927					1959	1	.04	0	
1928					1960	2	.08	0	
1929	1	.06	0	0	1961	0	0	0	
1930	1	.06	0	0	1962	0	0	0	
1931	0	0	0	0	1963	0	0	0	
1932	1	.06	0	0	1964	0	0	0	
1933	1	.06	0	0	1965	0	0	0	
1934	2	.12	0	0	1966	0	0	0	
1935	3	.18	0	0	1967	2	.06	0	
1936	0	0	0	0	1968	0	0	0	
1937	0	0	0	0	1969	3	.09	0	
1938	1	.06	0	0	1970	3	.09	0	
1939	5	.03	0	0	1971	0	0	0	
1940	1	.06	0	0	1972	0	0	0	
1941	4	.06	0	0	1973	1	.03	0	
1942	2	.05	0	0	1974	0	0	0	
1943	3	.15	0	0	1975	1	.03	0	
1944	0	0	0	0	1976	1	.03	0	
1945	2	.10	1	.05	1977	1	.03	0	
1946	0	0	0	0	1978	0	0	0	
1947	3	.13	0	0	1979	6	.15	0	
1948	4	.18	0	0	1980	0	0	0	
1949	1	.04	0	0	1981	2	.05	0	
1950	0	0	0	0	1982	1	.02	0	
1951	0	0	0	0	1983				

*1929 first year totals kept.

ANNUAL REPORT OF COMMUNICABLE DISEASES AND DEATHS
STATE OF WASHINGTON 1920-1982

YEARS	TUBERCULOSIS*				YEARS	TUBERCULOSIS			
	CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.		CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.
1920	999	73.2	1,314	96.3	1952**	1,223	49.1	232	9.3
1921	1,150	83.0	1,127	81.3	1953	1,483	58.7	135	5.3
1922	1,593	113.3	1,079	76.3	1954	1,426	55.6	133	5.2
1923	1,835	128.7	1,083	75.9	1955	1,080	41.8	110	4.3
1924	2,202	152.2	1,060	73.3	1956	1,013	38.2	96	3.6
1925	1,729	117.9	1,176	80.2	1957	959	35.4	96	3.5
1926	2,074	139.4	1,114	74.9	1958	804	29.0	71	2.6
1927	1,986	131.7	1,050	69.6	1959	656	23.3	73	2.6
1928	1,982	129.7	1,056	69.1	1960***	713	25.0	82	2.8
1929	2,108	136.1	1,034	66.8	1961	653	22.5	60	2.0
1930	1,982	126.8	912	58.1	1962	655	22.2	83	2.8
1931	1,876	118.4	994	62.8	1963	640	21.5	51	1.7
1932	1,650	103.3	846	52.9	1964	587	19.5	50	1.7
1933	1,555	96.5	857	53.2	1965	488	15.9	41	1.3
1934	1,544	94.9	774	47.5	1966	551	17.6	55	1.8
1935	1,659	101.3	833	50.9	1967	507	15.7	52	1.7
1936	1,789	108.6	822	49.9	1968	566	17.0	30	.9
1937	1,569	92.6	768	45.5	1969	525	15.6	25	.7
1938	1,462	85.5	692	40.6	1970	469	13.7	20	.6
1939	1,589	92.1	693	40.2	1971	358	10.4	27	.8
1940	1,647	94.5	665	37.9	1972	359	10.4	20	.6
1941	1,777	97.8	?	?	1973	362	10.5	21	.6
1942	1,557	82.8	674	35.8	1974	336	9.6	20	.6
1943	2,012	103.4	?	?	1975****	427	11.9	18	.6
1944	2,204	109.6	214	10.6	1976	378	10.4	27	.7
1945	2,752	132.7	147	7.1	1977	384	10.3	17	.5
1946	2,299	107.6	?	?	1978	305	7.9	9	.2
1947*	2,564	116.4	113	5.1	1979	321	8.0	16	.4
1948	2,886	127.3	108	4.8	1980	424	10.3	13	.3
1949	2,703	115.9	?	?	1981	401	9.4	15/7LE	.4
1950	2,095	88.1	308	12.9	1982	301	7.2	?	
1951	1,691	69.2	285	11.7	1983				

*1947 thru 1951 all TB cases were counted regardless of extent or activity of disease.

1952 active and inactive TB case counted. *1960 early in 1960's only new active cases counted.

****1975 CDC criteria inacted.

ANNUAL REPORT OF COMMUNICABLE DISEASES AND DEATHS
STATE OF WASHINGTON 1920-1982

YEARS	TYPHOID FEVER				YEARS	TYPHOID FEVER			
	CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.		CASES REPORTED	RATE PER 100,000 POP.	DEATHS REPORTED	RATE PER 100,000 POP.
1920	469	34.4	75	5.5	1952	11	.4	2	.08
1921	531	38.3	76	5.5	1953	6	.2	0	0
1922	578	41.1	70	5.0	1954	12	.5	0	0
1923	547	38.4	78	5.5	1955	15	.6	1	.03
1924	435	30.0	47	3.2	1956	4	.2	0	0
1925	391	26.6	54	3.7	1957	6	.2	0	0
1926	433	29.1	47	3.2	1958	3	.1	0	0
1927	288	19.1	32	2.1	1959	4	.1	0	0
1928	282	18.4	32	2.1	1960	7	.2	0	0
1929	294	18.9	35	2.3	1961	7	.2	0	0
1930	252	16.0	30	1.9	1962	5	.1	0	0
1931	234	14.7	22	1.4	1963	3	.1	0	0
1932	202	12.6	30	1.9	1964	3	.1	0	0
1933	181	11.2	24	1.5	1965	7	.2	0	0
1934	179	10.9	28	1.7	1966	13	.4	0	0
1935	154	9.4	16	1.0	1967	1	.03	0	0
1936	150	9.1	19	1.2	1968	2	.06	0	0
1937	120	7.1	11	.6	1969	3	.09	0	0
1938	167	9.8	13	.8	1970	4	.1	0	0
1939	263	15.2	19	1.1	1971	1	.02	0	0
1940	93	5.3	12	.7	1972	10	.3	0	0
1941	84	4.6	3	.2	1973	7	.2	0	0
1942	65	3.4	4	.2	1974	13	.4	0	0
1943	35	1.8	0	0	1975	5	.1	0	0
1944	37	1.8	1	.05	1976	3	.08	0	0
1945	42	2.0	2	.09	1977	2	.05	0	0
1946	41	1.9	4	.2	1978	7	.2	0	0
1947	22	1.0	1	.05	1979	9	.2	0	0
1948	12	.5	1	.5	1980	4	.1	0	0
1949	5	.2	0	0	1981	5	.1	0	0
1950	21	.9	1	.04	1982	10	.2	0	0
1951	18	.7	1	.04	1983				

APPENDIX I

STATE OF WASHINGTON
POPULATION 1920 - Present

YEARS	POPULATION	YEARS	POPULATION
1920	1,367,000	1951	2,444,000
1921	1,385,700	1952	2,496,100
1922	1,407,100	1953	2,528,200
1923	1,427,300	1954	2,566,000
1924	1,447,200	1955	2,586,100
1925	1,467,600	1956	2,651,900
1926	1,487,600	1957	2,712,700
1927	1,507,800	1958	2,767,900
1928	1,528,200	1959	2,819,000
1929	1,548,400	1960	2,853,214
1930	1,568,000	1961	2,897,000
1931	1,585,000	1962	2,948,000
1932	1,602,500	1963	2,972,000
1933	1,619,700	1964	3,008,000
1934	1,636,900	1965	3,065,000
1935	1,654,000	1966	3,125,000
1936	1,671,400	1967	3,229,000
1937	1,689,100	1968	3,329,000
1938	1,706,000	1969	3,365,000
1939	1,723,400	1970	3,413,250
1940	1,752,400	1971	3,436,300
1941	1,816,700	1972	3,430,300
1942	1,880,700	1973	3,444,300
1943	1,945,000	1974	3,508,700
1944	2,009,600	1975	3,567,890
1945	2,073,600	1976	3,634,890
1946	2,137,600	1977	3,715,375
1947	2,202,400	1978	3,836,200
1948	2,266,400	1979	3,979,200
1949	2,331,000	1980	4,130,163
1950	2,378,963	1981	4,250,200
1951	2,444,000	1982	4,264,000

DSHS, HSD, Health Data Section Report: Vital Statistics 1979 (Pop. 1920 through 1969)
 DSHS-Office Fiscal Management. Pocket Data Books 1978-79 (Pop. 1940-50-60-70-78-79)
 DSHS-Office Fiscal Management. Population Trends 8/81 (Pop. 1971 through 1977,80,81,82)

REFERENCES

1. World Health Organization. Manual of the International Statistical Classifications of Disease, Injuries, and Causes of Death. 9th ed. Geneva, Switzerland: World Health Organization, 1978; Vol. I, II.
2. World Health Organization. Manual of the International Statistical Classifications of Diseases, Injuries, and Causes of Death. 8th ed. Geneva, Switzerland: World Health Organization, 1967; Vol. I, II.
3. World Health Organization. Manual of the International Statistical Classifications of Disease, Injuries, and Causes of Death. 7th ed. Geneva, Switzerland: World Health Organization, 1957, Vol. I, II.
4. Department of Social and Health Services. Population Trends for Washington State. Olympia, WA: Office of Fiscal Management, 1981.
5. Department of Social and Health Services. Report: Vital Statistics, 1979. Olympia, WA: Health Services Division, Health Data Section, 1979.
6. Department of Social and Health Services, Pocket Data Book 1979. Olympia, WA: Office of Fiscal Management, 1979.
7. Department of Social and Health Services, Pocket Data Book 1981. Olympia WA: Office of Fiscal Management, 1981.
8. Schmid C, Mac Cannell EH, Van Arsdol JR, Maurice D. Mortality Trends in the State of Washington. Seattle, WA: Washington State Census Board, 1955.
9. State of Washington, Department of Social and Health Services, Health Services Division, Seattle, WA: Office of Public Health Laboratories & Epidemiology.
10. State of Washington, Department of Social and Health Services, Health Services Division, Olympia WA: Health Data Section.
11. State of Washington, Department of Social and Health Services, Health Services Division, Olympia WA: Venereal Disease Program.
12. State of Washington, Department of Social and Health Services, Health Services Division, Olympia WA: Tuberculosis Program.